

Meridian IVR

Application Development Guide

Publication number: 555-9001-310
Product release: Meridian IVR 2.0/I
Document release: Standard 1.0
Date: February 1996

© 1996 Northern Telecom
All rights reserved

Printed in the United States of America

Information is subject to change without notice. Northern Telecom reserves the right to make changes in design or components as progress in engineering and manufacturing may warrant.

Nortel, Meridian IVR, Meridian Mail, ACCESS, and Meridian 1 are trademarks of Northern Telecom. DEC and VT420 are trademarks of Digital Equipment Corporation. HP, LaserJet, and ThinkJet are trademarks of Hewlett-Packard Company. X Window System and X are trademarks of the Massachusetts Institute of Technology. NCD is a trademark of Network Computing Devices Inc. UNIX is a registered trademark of AT&T. Voicetek and VTK are trademarks of Voicetek Corporation. Motif is a trademark of Open Software Foundation Inc. Touch tone is a trademark of Bell Canada.

Publication history

February 1996

This document is the first standard issue for Meridian IVR release 2.0/I.

Contents

About this guide	xv
Who should use this guide.	xv
How to use this guide.	xv
Additional Meridian IVR guides	xvii
Third-party documentation.	xvii
Conventions used in this guide	xviii

Chapter 1: Understanding applications	1-1
The elements of a Meridian IVR application	1-1
Cells.	1-2
An example of an application.	1-2
Branches	1-3
Buffers	1-4
System buffers.	1-5
User-defined buffers	1-8
Information databases	1-9
Directory Number Identification System	1-10
Agent Whisper	1-11
Identification numbers for prompts and messages	1-13

Chapter 2: Understanding cells	2-1
Components of a cell.	2-1
Cell type.	2-1
Cell name	2-2
Cell number	2-2
Parameters	2-2
Next cells.	2-4
Tables	2-4
Cell categories.	2-4
Audiotext cells	2-4

Call management cells	2-5
Data manipulation cells	2-5
Access user function cells	2-6
Execute application cells	2-7
Fax response cells.	2-7
Host communication cells	2-8
Outdialing cells	2-8
Application scheduling cells.	2-9
User function cells	2-10
Message cells	2-10
Local database cells	2-10
Multilingual cell	2-11
SQL server cells	2-11

Chapter 3: Building applications 3-1

Designing an application	3-3
Selecting prompts	3-5
Application Editor.	3-5
Using the mouse in the Application Editor.	3-7
Understanding the basic components	3-8
Using the cell palette	3-8
Using the drawing board	3-8
Using the control area	3-10
Using the pull-down menus	3-12
Selecting options with text entry boxes, buttons, and menus .	3-21
Opening an application	3-26
Fields.	3-27
Push buttons	3-28
Default values for cell parameters	3-29
Applying the new default parameters	3-32
Arranging cells on the drawing board.	3-32
Modifying cell parameters	3-35
Connecting cells.	3-38
Off-page connectors	3-42
Moving cells on the drawing board.	3-44
Removing cells from your application	3-47
Saving your application	3-50
Printing your application.	3-51
Developing and testing applications on a live system	3-52
Executing your application.	3-56
Closing and exiting your application.	3-57

Deleting an application.	3-59
----------------------------------	------

Chapter 4: Creating a sample application 4-1

Designing the application.	4-2
Application specifics	4-2
Call flow for Leavemsg.	4-6
Selecting prompts	4-8
Application Editor.	4-8
Creating new application files	4-10
Editing the default cell	4-10
Creating and naming cells	4-11
Creating and naming the remaining cells	4-16
Customizing cells.	4-16
Customizing the remaining cells	4-21
Saving, printing, and reviewing the application	4-26
Testing the application	4-30
Starting an application.	4-35
Executing the application.	4-36
Configuring a mailbox	4-36
Configuring Destination DNs	4-37
Editing the application	4-37

Chapter 5: Creating user functions 5-1

Understanding the user function process	5-2
Accessing the user function from the call flow.	5-2
The user function process	5-3
User-defined functions.	5-5
Input and output buffers.	5-6
Reply code.	5-6
Source file for creating user functions	5-6
Error handling	5-7
Understanding the importance of time-out.	5-7
Testing your user function	5-10
Including the user function in an application	5-12
Using the usr.c file as a template.	5-13
Advanced user function techniques.	5-22
Task Manager	5-22
Time-out	5-24

Chapter 6: Using information databases 6-1

Understanding information databases.	6-2
--	-----

Using an information database	6-3
Building information databases	6-6
System Database Editor	6-7
Creating the template.	6-10
Creating record locations.	6-13
Deleting record locations	6-15
Adding or updating data.	6-16
Changing record locations.	6-18
Opening a database.	6-21
Editing the template.	6-22
Deleting a database.	6-23

Chapter 7: Cell catalog **7-1**

Cell descriptions.	7-3
ADDR - address message.	7-4
ANSW - answer.	7-6
CASE - branch on value or range	7-8
CDAT - convert data	7-11
CEND - continuation outdial end	7-14
CHEK - check database	7-15
COMA - host communications abort	7-17
COMI - host communications, input to host.	7-19
COMO - host communications, output from host.	7-21
COMP - compare.	7-23
CONC - concatenate buffers	7-28
COUT - continuation outdial	7-30
DDEL - delete information database records	7-33
DELV - schedule a delivery application	7-34
DIAL - dial digits	7-41
DINS - insert records into an information database.	7-42
DMSG - delete message	7-43
DOUT - directed outdial.	7-45
EVENT - log application event.	7-47
EXEC - execute application.	7-50
GDAT - play prompts and get data.	7-52
GSUB - call a subapplication.	7-57
HANG - hang up	7-59
INFO - get call information.	7-61
LANG - set language.	7-63
LDLV - get schedule event list	7-68
MATH - perform mathematical operation.	7-71

MDTE - get Meridian Mail date and time.	7-73
MENU - play menu and get data.	7-75
PDAT - play prompts with data.	7-78
PLAY - play prompts	7-83
PMSG - play a message	7-85
PRGS - call progress detection	7-86
QCNT - SQL select count cell	7-88
QDEL - SQL delete cell	7-90
QINS - SQL insert cell.	7-93
QSEL - SQL select cell	7-95
QUPD - SQL update cell	7-97
RETN - return from a subroutine call.	7-100
RMSG - record message.	7-101
SMSG - send message	7-104
START - default cell.	7-105
STOR - store	7-108
SUBS - substring buffer.	7-110
SXFR - supervised call transfer.	7-112
TIME - get current date and time.	7-114
UDLV - unschedule delivery	7-116
UPDT - update information database	7-117
USER - connect user function	7-119
USER (access) - get system date	7-122
USER (access) - get call info.	7-124
USER (access) - add box to address	7-126
USER (access) - send message	7-129
USER (access) - call progress detection.	7-131
XFER - transfer outdial	7-134

Appendix A: Standard prompts	A-1
-------------------------------------	------------

Appendix B: Meridian ACCESS return codes	B-1
---	------------

Appendix C: Sample cell chart	C-1
--------------------------------------	------------

Appendix D: Converting applications	D-1
--	------------

Appendix E: Upgrading databases	E-1
--	------------

Converting Release 1 applications	E-1
Porting Release 1 User Functions.	E-1

Converting the Release 1 Database	E-2
---	-----

Glossary

Glossary-1

List of figures

Figure 1-1	Example of a simple application.....	1-2
Figure 1-2	An application with branching	1-4
Figure 1-3	An application using buffers.....	1-8
Figure 1-4	Records in an information database	1-10
Figure 1-5	Using Agent Whisper in an application	1-12
Figure 3-1	Application Editor	3-6
Figure 3-2	Cell palette	3-8
Figure 3-3	The drawing board	3-9
Figure 3-4	Monitoring activity with the status window	3-11
Figure 3-5	Application Editor menu bar.....	3-12
Figure 3-6	File pull-down menu.....	3-14
Figure 3-7	Edit pull-down menu.....	3-15
Figure 3-8	View pull-down menu.....	3-19
Figure 3-9	Preferences pull-down menu	3-20
Figure 3-10	Radio buttons.....	3-22
Figure 3-11	Text entry box with push button.....	3-22
Figure 3-12	A browser with a list of valid values	3-23
Figure 3-13	Selecting a value from the browser.....	3-24
Figure 3-14	Selecting digits with a digit push button.....	3-25
Figure 3-15	Value box	3-25
Figure 3-16	Option menu.....	3-26
Figure 3-17	Application selection window	3-27
Figure 3-18	Default cell parameters	3-30
Figure 3-19	Default cell parameters touch-tone pad window...	3-31
Figure 3-20	COUT cell icon.....	3-32
Figure 3-21	MENU cell icon.....	3-33
Figure 3-22	Top-to-bottom call flow.....	3-34
Figure 3-23	MENU cell parameter pop-up window.....	3-36
Figure 3-24	Using the pencil cursor to connect cells.....	3-39
Figure 3-25	Success branch.....	3-40
Figure 3-26	Interconnecting cells	3-41
Figure 3-27	Branching to a cell on another page	3-43
Figure 3-28	Identifying a branch from a cell on another page..	3-44
Figure 3-29	Sample move of a cell.....	3-45

Figure 3-30	Cell moved to another page.....	3-47
Figure 3-31	Removing a PLAY cell from an application.....	3-49
Figure 3-32	Saving an application under a new name.....	3-51
Figure 3-33	File pull-down menu with Postscript option.....	3-52
Figure 3-34	Close or exit without save warning.....	3-58
Figure 4-1	Basic call-flow for Leavemsg application	4-4
Figure 4-2	Meridian IVR call-flow for Leavemsg application	4-5
Figure 4-3	Select an application directory screen	4-9
Figure 4-4	HANG cell parameters	4-13
Figure 4-5	ANSW cell and parameter.....	4-14
Figure 4-6	STOR cell and parameter	4-15
Figure 4-7	RMSG cell.....	4-20
Figure 4-8	MENU cell and parameters.....	4-22
Figure 4-9	Leavemsg application	4-29
Figure 4-10	Application management screen.....	4-31
Figure 4-11	Load or unload an application pop-up menu.....	4-32
Figure 4-12	Select an application to load pop-up menu.....	4-32
Figure 4-13	Loaded application.....	4-33
Figure 4-14	Application assigned to channels.....	4-34
Figure 4-15	Start or stop application pop-up menu.....	4-35
Figure 4-16	An application running on seven channels.....	4-36
Figure 5-1	Application passing control to user function.....	5-3
Figure 5-2	How the user function process works	5-5
Figure 5-3	Task Manager	5-24
Figure 6-1	An example of a record in a database	6-2
Figure 6-2	A series of records in an information database.....	6-3
Figure 6-3	Sample database record.....	6-5
Figure 6-4	Meridian IVR GUI main menu	6-7
Figure 6-5	Database Editor	6-8
Figure 6-6	Template screen	6-10
Figure 6-7	Example of a template for a database	6-11
Figure 6-8	Template for database "TEST".....	6-12
Figure 6-9	Record location numbers	6-13
Figure 6-10	Create/delete record pop-up menu.....	6-14
Figure 6-11	Create/delete record prompt menu.....	6-15
Figure 6-12	Records with stored data	6-16
Figure 6-13	Adding and changing data in the record location..	6-17
Figure 6-14	Update Database pop-up menu.....	6-19
Figure 6-15	Update Database pop-up menu (continued).....	6-20
Figure 6-16	Update Database pop-up menu (end).....	6-21
Figure 6-17	Selecting a database from the Database Editor....	6-22

Figure 6-18	Editing the template	6-23
Figure 7-1	Using COMP for looping in an application	7-27

List of tables

Table 3-1	Mouse functions for the Application Editor.....	3-7
Table 3-2	Page navigation	3-12
Table 3-3	Accelerator keys: file pull-down menu.....	3-14
Table 3-4	Accelerator keys: view pull-down menu.....	3-19
Table 3-5	Accelerator keys: preferences pull-down menu....	3-21
Table 3-6	Manipulating text entry boxes	3-22
Table 4-1	Cells in the leavemsg application.....	4-11
Table 7-1	String compare examples	7-25
Table 7-2	Comparison of two buffers	7-26
Table 7-3	Comparison of a buffer to a constant.....	7-26
Table A-1	Standard English prompts.....	A-1
Table A-2	Standard French prompts	A-16
Table B-1	Prefixes	B-1
Table B-2	Access return codes.....	B-2
Table C-1	A blank cell chart.....	C-2

List of procedures

Procedure 3-1	Accessing the Application Editor	3-5
Procedure 3-2	Cutting and pasting cells.....	3-15
Procedure 3-3	Copying cells	3-16
Procedure 3-4	Moving cells.....	3-16
Procedure 3-5	Deleting a cell.....	3-17
Procedure 3-6	Inserting a page.....	3-17
Procedure 3-7	Removing a page.....	3-17
Procedure 3-8	Adding text.....	3-17
Procedure 3-9	Moving text	3-18
Procedure 3-10	Changing text.....	3-18
Procedure 3-11	Removing text.....	3-18
Procedure 3-12	Manipulating text entry boxes.....	3-23
Procedure 3-13	Selecting a different digit Application Editor ...	3-24
Procedure 3-14	Opening an application.....	3-26
Procedure 3-15	Selecting a file from the Browser list.....	3-28
Procedure 3-16	Displaying or updating default cell parameters.....	3-29
Procedure 3-17	Placing a new cell on the drawing board.....	3-35
Procedure 3-18	Connecting cells	3-38
Procedure 3-19	Connecting a cell to a cell on another page....	3-42

Procedure 3-20	Moving a cell on the same page.....	3-44
Procedure 3-21	Moving a cell to another page.....	3-46
Procedure 3-22	Removing cells	3-48
Procedure 3-23	Saving the application under the current name.....	3-50
Procedure 3-24	Saving the application under a new name.....	3-50
Procedure 3-25	Printing your application	3-51
Procedure 3-26	Closing an application.....	3-57
Procedure 3-27	Exiting the Application Editor.....	3-58
Procedure 3-28	Deleting an application	3-59
Procedure 4-1	Opening an existing application.....	4-8
Procedure 4-2	Creating a new application file.....	4-10
Procedure 4-3	Creating and naming the HANG cell.....	4-12
Procedure 4-4	Creating and naming the ANSW cell.....	4-14
Procedure 4-5	Creating and naming the STOR cell.....	4-15
Procedure 4-6	Connecting the ANSW cell to the START cell	4-17
Procedure 4-7	Connecting the STOR cell to the ANSW cell..	4-17
Procedure 4-8	Customizing the first STOR cell.....	4-18
Procedure 4-9	Modifying the RMSG cell.....	4-20
Procedure 4-10	Saving the application.....	4-26
Procedure 4-11	Printing the application	4-27
Procedure 4-12	Reviewing the application.....	4-27
Procedure 4-13	Copying the application	4-30
Procedure 4-14	Loading the application.....	4-30
Procedure 4-15	Assigning channels.....	4-33
Procedure 4-16	Starting an application.....	4-35
Procedure 5-1	Designing a user function.....	5-8
Procedure 5-2	Coding a user function.....	5-9
Procedure 5-3	Building a user function	5-10
Procedure 5-4	Testing user function with stand-alone mode.	5-10
Procedure 5-5	Including a user function in your application...	5-13
Procedure 6-1	Opening the Database Editor	6-7
Procedure 6-2	Creating the database	6-8
Procedure 6-3	Creating the template	6-12
Procedure 6-4	Creating record locations.....	6-13
Procedure 6-5	Deleting record locations.....	6-15
Procedure 6-6	Adding or updating data.....	6-17
Procedure 6-7	Going to the next record location.....	6-18
Procedure 6-8	Going to any other record number.....	6-19
Procedure 6-9	Exiting the database.....	6-20
Procedure 6-10	Opening a database	6-22

Procedure 6-11	Changing a field description	6-22
Procedure 6-12	Deleting a database from the UNIX shell.....	6-24
Procedure 7-1	Relocating application prompts.....	7-65
Procedure D-1	Transferring the application from Release 1....	D-1
Procedure D-2	Transferring the application to Release 2.....	D-2
Procedure D-3	Converting the application (one-step procedure).....	D-3
Procedure E-1	Converting Release 1 applications.....	E-1
Procedure E-2	Converting Release 1 databases.....	E-2